

Multi-Tone Sounders A with Light Indicator ①

cULus Type 4/4X/13 CE

Type	Description	Specifications	Catalog Number	Price
	Replace ⚡ with lens color		Red Housing	
	ADS-P Multi-Tone Alarm Sounder with LED Steady indicator Size 1 - 94 mm, 8 tones (103 dB)	24 V AC/DC	875 06⚡ 405	362
		110/120 V AC	875 06⚡ 310	
		230/240 V AC	875 06⚡ 313	
	ADS-T Multi-Tone Alarm Sounder with LED Steady/Flashing indicator Size 1 - 94 mm, 32 tones (108 dB)	24 V AC/DC	875 16⚡ 405	420
		110/120 V AC	875 16⚡ 310	
		230/240 V AC	875 16⚡ 313	
	ADM Multi-Tone Alarm Sounder with LED Steady/Flashing indicator Size 2 - 132mm, 32 tones (113 dB)	24 V AC/DC	875 26⚡ 405	585
		110/120 V AC	875 26⚡ 310	
		230/240 V AC	875 26⚡ 313	
	ADL Multi-Tone Alarm Sounder with LED Steady/Flashing indicator Size 3 - 184mm, 63 tones (120 dB)	24 V AC/DC	875 36⚡ 405	975
		110/120 V AC	875 36⚡ 310	
		230/240 V AC	875 36⚡ 313	
	ADX Multi-Tone Alarm Sounder with LED Steady/Flashing indicator Size 4 - 228mm, 63 tones (127 dB)	24 V AC/DC	875 46⚡ 405	1500
		110/120 V AC	875 46⚡ 310	
		230/240 V AC	875 46⚡ 313	
	ACM Multi-Tone Alarm Sounder with LED Strobe indicator Size 2 - 132mm, 32 tones (113 dB)	24 V AC/DC	875 66⚡ 405	580
		110/120 V AC	875 66⚡ 310	
		230/240 V AC	875 66⚡ 313	
	ACL Multi-Tone Alarm Sounder with LED Strobe indicator Size 3 - 184mm, 63 tones (120 dB)	24 V AC/DC	875 76⚡ 405	960
		110/120 V AC	875 76⚡ 310	
		230/240 V AC	875 76⚡ 313	
	ACX Multi-Tone Alarm Sounder with LED Strobe indicator Size 4 - 228mm, 63 tones (127 dB)	24 V AC/DC	875 86⚡ 405	1525
		110/120 V AC	875 86⚡ 310	
		230/240 V AC	875 86⚡ 313	

Accessories

cULus Type 4/4X/13 CE

Type	Description	For use with...	Catalog Number	Price
	AMK Mounting kit	for combinations of multi-tone sounders "A" and/or beacons "Q"	874 010 900	17
	Flat gasket		AG1 for size 1	24
			AG2 for size 2	28
			AG3 for size 3	36
			AG4 for size 4	46
	Metal Mounting bracket Kit ②	multi-tone sounders "A" and/or beacons "Q"	AB1 for size 1	62
			AB2 for size 2	70
			AB3 for size 3	98
			AB4 for size 4	112
	AKV Cable gland M20 x 1.5		698 800 026	10

① To complete the catalog no., replace the ⚡ with one of the following numbers for desired lens color:

1 = Amber, 2 = Red, 4 = Clear, 5 = Blue, 6 = Green, 7 = Yellow.

② Metal bracket for mounting of single device only.



CONNECTRIC
SYSTEMS INC.

28-207 Edgeley Blvd., Concord, Ontario, L4K 4B5
Ph: 905-669-0080 Fax: 905-669-0082
www.connectric.com info@connectric.com




Beacons Q
+
Multi-Tone
Sounders A

Combination Sounders and Beacons

Multi-Tone Sounders can be combined with Beacon Q for Visual + Audible Signaling.
Order components separately as indicated below.

cUL[®] US Type 4/4X/13 CE

Size	Beacons Q		Price	AMK Mounting kit	Sounder A		Price
1		QDS LED Steady-/Flashing beacon	See page J22			ASS-P Multi-Tone Alarm Sounder 8 tones	See page J29
		QFS Xenon Strobe beacon				ASS-T Multi-Tone Alarm Sounder 32 tones	
2		QDM LED Steady-/Flashing beacon				ASM (For use with QDM or QFM) Multi-Tone Alarm Sounder 32 tones	
		QFM Xenon Strobe beacon					
3		QDL LED Steady-/Flashing beacon				ASL (For use with QDL or QBL) Multi-Tone Alarm Sounder 63 tones	
		QBL LED Multi-Strobe beacon					
4		QDX LED Steady-/Flashing beacon				ASX (For use with QDX or QBX) Multi-Tone Alarm Sounder 63 tones	
		QBX LED Multi-Strobe beacon					



Multi-Tone Sounders A

cULus Type 4/4X/13 CE

Type	Description	Specifications	Catalog Number	Price
			Red Housing	
	ASS-P Multi-Tone Alarm Sounder Size 1 - 94mm, 8 tones (103 dB)	24 V AC/DC	874 060 405	230
		48 V AC/DC	874 060 408	
		110/120 V AC	874 060 310	
		230/240 V AC	874 060 313	
	ASS-T Multi-Tone Alarm Sounder Size 1 - 94mm, 32 tones (108 dB)	24 V AC/DC	874 160 405	290
		48 V AC/DC	874 160 408	
		110/120 V AC	874 160 310	
		230/240 V AC	874 160 313	
	ASM Multi-Tone Alarm Sounder Size 2 - 132mm, 32 tones (113 dB)	24 V AC/DC	874 260 405	405
		48 V AC/DC	874 260 408	
		110/120 V AC	874 260 310	
		230/240 V AC	874 260 313	
	ASL Multi-Tone Alarm Sounder Size 3 - 184mm, 63 tones (120 dB)	24-48 V AC/DC	874 360 408	760
		110/120 V AC	874 360 310	
		230/240 V AC	874 360 313	
	ASX Multi-Tone Alarm Sounder Size 4 - 228mm, 63 tones (127 dB)	24-48 V AC/DC	874 460 408	1450
		110/120 V AC	874 460 310	
		230/240 V	874 460 313	



Multi-Tone Sounders A can be combined with Beacon Q for Visual + Audible Signaling. Use Mounting Kit AMK. Order components separately.

Accessories

	AMK Mounting kit	for combinations of multi-tone sounders "A" and/or beacons "Q"	874 010 900	17
	Flat gasket		AG1 for size 1	24
			AG2 for size 2	28
			AG3 for size 3	36
			AG4 for size 4	46
	Metal bracket Kit 1	multi-tone sounders "A" and/or beacons "Q"	AB1 for size 1	62
			AB2 for size 2	70
			AB3 for size 3	98
			AB4 for size 4	112
	AKV Cable gland M20 x 1.5		698 800 026	10

1 Metal bracket for mounting of single device only.